

MANUSCRIPT EDITION

TITAN I INTEGRATED TARGETING AND SIMULATION PROGRAM DOCUMENT

VOLUME 3. MAINTENANCE

PART 1. SECTIONS I AND II

Contract No. AF 04(645)-5

Prepared for Ballistic Systems Division Air Force Systems Command United States Air Force Inglewood, California

Prepared by Bell Telephone Laboratories, Incorporated On behalf of Western Electric Company, Incorporated 222 Broadway, New York 38, N. Y.

This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C., Sections 793 and 794. Its transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law.

WS 107A-2 RADIO-INERTIAL GUIDANCE SYSTEM

ARCHIER OR CHAIN TO M

SUBJECT TO CONTRACT OF THE ATTICALLY

MANUSCRIPT EDITION

CLASSIFIED ON DECEMBER 31/968

TITAN

INTEGRATED TARGETING

AND

SIMULATION PROGRAM DOCUMENT

VOLUME 3. MAINTENANCE

(TITLE UNCLASSIFIED)

PART 1. SECTIONS I AND IVES NET

CHANGE

LATEST CHANGED PAGES SUPERSEDE THE SAME PAGES OF PREVIOUS DATE


Insert changed pages into basic publication. Destroy superseded pages.

Contract No. AF 04(647)-325 Contract No. AF 04(645)-5

Prepared for Ballistic Systems Division Air Force Systems Command United States Air Force Inglewood, California

Prepared by Bell Telephone Laboratories, Incorporated On behalf of Western Electric Company, Incorporated 222 Broadway, New York 38, N. Y.

This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C., Sections 793 and 794. Its transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law.





CONFIDENTIAL

DOWNGRADED AT 3-YEAR INTERVALS . DECLASSIFIED AFTER 12 YEARS

15 MARCH 1962

INSERT LATEST CHANGED PAGES.
DESTROY SUPERSEDED PAGES.

LIST OF EFFECTIVE PAGES

TOTAL NUMBER OF PAGES IN THIS PUBLICATION IS 984 CONSISTING OF THE FOLLOWING:

I	Page No.		Issue	Page	No.			Issue
	vii to viii *ix x Blank 1-1 to 1-5 1-6 Blank 2-1 to 2-6 2-7 to 2-7L 2-7M to 2-7N Blank 2-8 2-9 to 2-31 2-32 Blank 2-33 to 2-39 2-40 Blank 2-41 to 2-43 2-44 Blank 2-45 to 2-55 2-56 Blank 2-57 2-58 2-59 to 2-60 *2-61 to 2-62 2-63 to 2-67 2-68 Blank 2-69 to 2-71 2-72 Blank 2-75 to 2-77 2-78 Blank 2-75 to 2-77 2-78 Blank 2-79 to 2-81 2-82 Blank 2-83 2-84 Blank 2-85 2-86		Oct 62 Orig Orig Orig Orig Orig Orig Orig Orig	*2-87 2-88 2-89 2-90 2-91 2-92 2-95 2-96 2-97 *2-99 2-100 2-	Blank to 2-93 Blank to 2-98 to 2-100de Blank Blank to 2-110 Blank to 2-110 Blank to 2-117 Blank to 2-125 Blank to 2-131 Blank Blank To 2-131 Blank Blank To 2-131 Blank	lete	31 31 31 31 31 31	Orig Orig Orig Orig Orig Orig Orig Orig
1	*The asterisk indicates	3	pages (nange	u, added, (or a	яте	rea ox

INSERT LATEST CHANGED PAGES.
DESTROY SUPERSEDED PAGES.

LIST OF EFFECTIVE PAGES

(continued)

ı	(00	01102114007	
	Page No. Iss	sue Page No.	Issue
	2-155 to 2-157	ay 62 2-284 to 2-285 rig 2-286 Blank rig 2-287 to 2-290 rig 2-291 to 2-292 rig 2-293 rig 2-293 rig 2-294 to 2-295 ct 62 2-294 to 2-295 ct 62 2-294 to 2-303 rig 2-304 Blank rig 2-305 to 2-309 rig 2-310 Blank rig 2-315 to 2-317 rig 2-315 to 2-317 rig 2-315 to 2-317 rig 2-318 Blank rig 2-319 rig 2-328 Blank rig 2-329 to 2-321 rig 2-329 to 2-321 rig 2-329 to 2-337 rig 2-329 to 2-337 rig 2-329 to 2-337 rig 2-341 to 2-342 rig 2-343 to 2-340 deleted? rig 2-341 to 2-342 rig 2-343 to 2-346 rig 2-341 to 2-342 rig 2-343 to 2-357 rig 2-351 to 2-370 rig 2-375 to 2-376deleted? rig 2-377 rig 2-378 to 2-379 rig 2-378 to 2-381 rig 2-378 to 2-379 rig 2-378 to 2-381 rig 2-378 to 2-380 rig 2-380 to 2-381 rig 2-380 to 2-381	Orig May 62 May 62 July62 May 62 Orig Orig Orig Orig Orig Orig Orig Orig
	the current change.		

INSERT LATEST CHANGED PAGES.
DESTROY SUPERSEDED PAGES.

LIST OF EFFECTIVE PAGES

. /									-	
- (C	0	n	+	4	m	11	۵	a	- 1
- 1	\.	u.	44	~	-8-	4.4	ш		u	- //

Page No.	Issue	Page No.	Issue
2-428 to 2-429	Orig Orig July62 Orig Oct 62 July62 July62 July62 Orig Orig Orig Orig July62 May 62 Orig Orig Orig Orig Orig Orig Orig Orig	2-471 2-472 Blank 2-473 to 2-476B . 31 2-477 to 2-484 *2-485 to 2-496 . 32 2-497 2-498 Blank *2-499 to 2-504 . 32 *2-505 to 2-514delete 2-515	Orig Orig Orig I May 62 Orig Orig Orig Orig I Oct 62 I May 62 I May 62 I May 62 I Oct 62 Orig Orig Orig Orig Orig Orig Orig Orig
the current change.			

INSERT LATEST CHANGED PAGES.
DESTROY SUPERSEDED PAGES.

LIST OF EFFECTIVE PAGES

(continued)

	(con	tinued)	
	Page No. Issue	Page No.	Issue
	2-628 Blank Orig 2-629	2-787 2-788 Blank 2-789 to 2-795 2-796 Blank *2-797 to 2-798deleted31 *2-799 to 2-802 31 2-803 to 2-810 2-811 to 2-812 31 2-813 2-814 Blank 2-815 to 2-819 2-820 Blank 2-821 to 2-822 *2-823 *2-824 Blank 2-825 to 2-827 2-828 Blank 2-829 to 2-835 2-836 Blank *2-851 to 2-855 2-856 Blank *2-851 to 2-855 2-856 Blank *2-857 to 2-859 2-860 Blank 2-857 to 2-864 31 2-865 to 2-868 *2-869 to 2-871 31 *2-872 Blank 31 *2-873 to 2-874deleted31 *2-875 to 2-879 2-880 Blank 2-877 to 2-879 2-880 Blank 2-881 2-883 to 2-879 2-880 Blank 2-883 to 2-879 2-880 Blank 2-883 to 2-888 2-889 2-889 31 2-889	Orig Orig Orig Orig Orig Orig Orig Orig
Α			

trations contained in this publication is not permitted without specific approval of the issuing service (BuAer or USAF). The policy for use of Classified Publications is established for the Air Force in AFR 205-1 and for the Navy in Navy Regulations. Article 1509.

> INSERT LATEST CHANGED PAGES. DESTROY SUPERSEDED PAGES.

LIST OF EFFECTIVE PAGES (continued)

		- (continu	lea)		1	
Page No.		Issue	Page	No.	Issue	
2-938 to 2-939	15 15 15 31 31 15 15	Orig July 62 Orig Orig Orig Orig Orig Orig July 62 Orig Orig Orig Orig Orig Orig Orig Orig		НО	OVES.N	E

Orig

1-8 Blank

^{*}The asterisk indicates pages changed, added, or deleted by the current change.

Manuscript Edition

TITAN I - Integrated Targeting and Simulation Program Document Volume 3. Maintenance Part 1 - 15 March 1962

Instruction Sheet

Changed 31 October 1962

In addition to inserting revised pages and destroying superseded pages, make pen and ink changes as indicated below, and write "Changed 31 October 1962" at bottom of page flush with the outside margin on each affected page. A Mod number is added to the first page of the subprogram when the subprogram reflects a listing subsequent to January 1962, or when an error correction was made as part of this revision.

- 1. Title Page:
- Delete title page and insert new title page.
- 2. Page A.B,C,D E:
- Delete pages A, B, C, D, E and insert new pages A, B, C, D, E.

3. Page ix:

- Delete page ix and insert new page ix.
- 4. Page 1-1:
- In paragraph 1-3, fourth line, change to read "a listing subsequent to that date, or when an error correction was made as part of this revision, the Mod number appears".

Page 2-2:/

- In last line on page, delete last word "Volume".
- 6. Page 2-3:
- In first line on page, change to read "the Theory volume. The actual determination of the"; in second line, delete fourth word "determination".
- 7. Page 2-7E through 2-7H:
- Delete references to subprograms RØLL, FILTER, and SHIFT.
- 8. Page 2-7J through 2-7L:
- Delete references to subprograms RØLL, FILTER, SHIFT, RSDB, RSDBTL, RSDC, RSDPIG, RSDADJ, and RSDD.
- 9. Page 2-37:
- In paragraph 2-66 (3), third line, change "step 18" to "step 19"; last line, change "step 12" to "step 13".
- 10. Page 2-38:
- In third line on page, change "step 12" to "step 13"; last line in paragraph, change "step 18" to "step 19".

Instruction Sheet

Changed 31 October 1962

11.	Page 2-49:	In paragraph (12), first line, change "switch" to "light".
12.	Page 2-50:	In paragraph (20), last two lines, change to read "The subprogram checks for an error in U08 (step 14). If none occurred, SW(120) is set ØFF and the subprogram continues at step 15".
13.	Page 2-52 /	In paragraph (26), last line, change "step 94" to "step 99".
14.	Page 2-54:	In paragraphs (35), (36), and (37), change statement letters from 'h' to "k", "1" to "l", and "l" to "m", respectively.
15.	Page 2-61,2-62:	Delete pages 2-61, 2-62, and insert new ages 2-61, 2-62.
16.	Page 2-75:	In paragraph 2-77, item i, delete subprogram "DLTLAT DO6".
17.	Page 2-87:	Delete page 2-87 and insert new page 2-87.
18.	Page 2-98:	Insert "(2-99 and 2-100 deleted)" in lower left hand corner under page number.
19.	Page 2-99,2-100:	Delete pages 2-99, 2-100.
20.	Page 2-1051	Delete page 2-105 and insert new pages 2-105, 2-106.
21.	Page 2-110:	In paragraph (2), second line, change "0" to "Ø".
22.	Page 2-115 through 2-117:	Delete pages 2-115 through 2-117 and insert new pages 2-115 through 2-117.
23.	Page 2-163,2-164.	Delete pages 2-163, 2-164, and insert new page 2-163.
24.	Page 2-177 through 2-180:	Delete pages 2-177 through 2-180 and insert new pages 2-177 through 2-179.
25.	Page 2-185:/	Insert "Mod F3" in upper right-hand corner.

Instruction Sheet

Changed 31 October 1962

26.	Page 2-191,2-192:	Delete pages 2-191, 2-192, and insert new pages 2-191, 2-192.
27.	Page 2-207 through 2-210:	Delete pages 2-207 through 2-210 and insert new pages 2-207 through 2-210.
28.	Page 2-211:/	Insert "Mod F3" in upper right-hand corner.
29.	Page 2-235:	Insert "Mod G1" in upper right-hand corner.
30.	Page 2-236:	In first line on page, delete input "VGYD".
31.	Page 2-241 through 2-245:	Delete pages 2-241 through 2-245 and insert new pages 2-241 through 2-245.
32.	Page 2-249 through 2-252:	Delete pages 2-249 through 2-252 and insert new pages 2-249 through 2-252.
33.	Page 2-287:	In paragraph 2-14la., third line, change to read "of columns to be interpreted, and the following registers:".
34.	Page 2-290:	Insert "(2-291 and 2-292 deleted)" in lower left-hand corner under page number.
35.	Page 2-327:	In paragraph 2-154a., under COLUMNS, insert "21-24"; under CONTENTS for 21-24, insert "If present, non-standard transfer point; otherwise blank".
36.	Page 2-329 through 2-340:	Delete pages 2-329 through 2-340 and insert new pages 2-329 through 2-337.
37.	Page 2-345:	In paragraph 2-158, item h, change description to read "Read Target Tape".
38.	Page 2-371 through 2-374:	Delete pages 2-371 through 2-374 and insert new pages 2-371 through 2-374.
39.	Page 2-380:	In paragraph (8), second line, change second and third words to read "legality or".
WW	W.CHRO	MEHOOVES.NE3T

Instruction Sheet

Changed 31 October 1962

40.	Page 2-391: /	Insert "Mod G1" in upper right-hand corner.
41.	Page 2-395 through 2-406:	Delete pages 2-395 through 2-406 and insert new pages 2-395 through 2-406.
42.	Page 2-411:/	Insert "Mod F4" in upper right-hand corner.
43.	Page 2-415 through 2-418:	Delete pages 2-415 through 2-418 and insert new pages 2-415 through 2-419.
44.	Page 2-421:	In paragraph 2-173, item g, change description to read "Generate Magnetic Target Tape".
45.	Page 2-427:	Insert "Mod F4" in upper right-hand corner.
46.	Page 2-461:	Insert "Mod G1" in upper right-hand corner.
47.	Page 2-485 through 2-496:	Delete pages 2-485 through 2-496 and insert new pages 2-485 through 2-496.
48.	Page 2-499 through 2-514:	Delete pages 2-499 through 2-514 and insert new pages 2-499 through 2-504.
49.	Page 2-515:	Insert "Mod F2" in upper right-hand corner.
50.	Page 2-517 through 2-530:	Delete pages 2-517 through 2-530 and insert new pages 2-517 through 2-522.
51.	Page 2-531:	Insert "(2-533 through 2-544 deleted)" in lower right-hand corner under page number.
52.	Page 2-533 through 2-544:	Delete pages 2-533 through 2-544.
53.	Page 2-547:	Insert "Mod F1" in upper right-hand corner.

Instruction Sheet

Changed 31 October 1962

	54.	Page 2-557:	In paragraph (13), fifth line, the sentence starting with "If LSEQ" is changed to read "If LSEQ is not 4, 7, or 9, BSTØP is compared with time of flight since liftoff t _f , and if greater, is set equal to t _f ".
	55.	Page 2-559:	Insert "Mod F1" in upper right-hand corner.
	56.	Page 2-564 through 2-575:	Delete pages 2-564 through 2-575 and insert new pages 2-564 through 2-567.
	57.	Page 2-637:	In paragraph 2-228, second line, change first word to read "launcher"
	58.	Page 2-639:	Insert "Mod F2" in upper right-hand corner.
	59.	Page 2-641 through 2-646:	Delete pages 2-641 through 2-646 and insert new pages 2-641 through 2-645.
WV	60.	Page 2-651 through 2-657:	Delete pages 2-651 through 2-657 and insert new pages 2-651 through 2-656.
	61.	Page 2-663 through 2-668:	Delete pages 2-663 through 2-668 and insert new pages 2-663 through 2-667.
	62.	Page 2-669:	In paragraph 2-237a., under COMMON TAG, delete the parenthesis around each "9" in the four items of DIMENSION 10.
	63.	Page 2-675:	Insert "(2-677 through 2-680 deleted)" in lower right-hand corner under page number.
	64.	Page 2-681 through 2-687:	Delete pages 2-681 through 2-687 and insert new pages 2-681 through 2-686.
	65.	Page 2-689:	Insert "Mod F2" in upper right-hand corner.
	66.	Page 2-693 through 2-718:	Delete pages 2-693 through 2-718 and insert new pages 2-693 through 2-714.
WV	VV	V.CHRO	MEHOOVES.NET

Instruction Sheet

Changed 31 October 1962

67.	Page 2-719 through 2-746:	Delete pages 2-719 through 2-746 and insert new pages 2-719 through 2-732.
68.	Page 2-747:	Insert "Mod G1" in upper right-hand corner.
69.	Page 2-749:	In paragraph (2), second line, place a period after 'precision' and delete "and CUTIE is stepped by one".
70.	Page 2-750:	In paragraph (4), sixth line, delete sentence "ROLL updates the output interpolation table".
71.	Page 2-751 through 2-760:	Delete pages 2-751 through 2-760 and insert new pages 2-751 through 2-759.
72.	Page 2-771:	Insert "Mod G1" in upper right-hand corner.
73.	Page 2-772 : CHF	In paragraph (2), fourth line, change last sentence to read "Control is returned to the user subprogram".
74.	Page 2-781:	Insert "Mod Gl" in upper right-hand corner.
75.	Page 2-783:	In paragraph (2), delete last sentence; in paragraph (3), third line, complete first sentence to read "ABCHEK determines values of the position and velocity vector magnitudes".
76.	Page 2-784:	Insert "(2-785/2-786 deleted)" in lower left-hand corner under page number.
77.	Page 2-785:	Delete page 2-785.
78.	Page 2-789:	Insert "Mod G1" in upper right-hand corner.
79.	Page 2-791:	At top of page, change outputs from "FXI(1)", to "FSXI(1)", "FXI(3)" to "FSXI(2)", and "FXI(5)" to "FSXI(3)", respectively.

Instruction Sheet

Changed 31 October 1962

80. Page 2-795:

Insert "(2-797 and 2-798 deleted)" in lower right-hand corner under page number.

81. Page 2-797 through 2-802:

Delete pages 2-797 through 2-802 and insert new pages 2-799 through 2-802.

82. Page 2-803:

In paragraph 2-251, item.i, delete subprogram "LABEL G40".

83. Page 2-823,2-824:

Delete pages 2-823, 2-824, and insert new page 2-823.

84. Page 2-825:

Insert "Mod G1" in upper right-hand
corner.

85. Page 2-826:

In paragraph (1), fifth line, change remainder of sentence to read "obtained from expressions (1), (2), (3), CØSINE. and SINE"; in last line of paragraph, the expressions are changed to read "(4), (5), and (6)"; in paragraph (2), heading, change to read "Steps 3-9"; in seventh line of paragraph, change last sentence to read "Control is returned to the user subprogram".

WWW.CHRON

86. Page 2-837 through 2-852:

Delete pages 2-837 through 2-852 and insert new pages 2-837 through 2-849.

87. Page 2-861 through 2-864: Delete pages 2-861 through 2-864 and insert new pages 2-861 through 2-864.

88. Page 2-869 through 2-876:

Delete pages 2-869 through 2-876 and insert new pages 2-869 through 2-876.

89. Page 2-902:

In sixth, seventh, and eighth lines, under SYMBOL, change " ψ^{k-1} " to " ψ^{k-2} " to " ψ^{k-2} ", and " ψ^{k-3} " to " ψ^{k-3} ", respectively.

90. Page 2-917,2-918:

Delete pages 2-917, 2-918, and insert new pages 2-917, 2-918.

Instruction Sheet

Changed 31 October 1962

91. Page 2-937: Insert "Mod F2" in upper right-hand corner.

92. Page 2-941: Insert "Mod G1" in upper right-hand corner.

93. Page 1-1 Delete pages 1-1 through 1-7 and insert new pages 1-1 through 1-7.

94. Insert this instruction sheet between cover and new title page.

WWW.CHROMEHOOVES.NET

Manuscript Edition

TITAN I - Integrated Targeting and Simulation Program Document Volume 3. Maintenance Part 1 - 15 March 1962

Instruction Sheet

WWW.C

Changed 15 July 1962

In addition to inserting revised pages and destroying superseded pages, make pen and ink changes as indicated below, and write "Changed 15 July 1962" at bottom of page flush with the outside margin on each affected page. A Mod number is added to the first page of the subprogram only when the subprogram reflects a listing subsequent to January 1962.

- 1. <u>Title Page</u>: Delete title page and insert new title page.
- 2. Page A,B,C,D,E: Delete pages A, B, C, D, E and insert new pages A, B, C, D, E.
- 3. Page 2-133: / Insert "Mod F2" in upper right hand corner.

4. Page 2-135: Delete page 2-135 and insert new page 2-135.

- 5. Page 2-207,2-208: Delete pages 2-207, 2-208, and insert new pages 2-207, 2-208.
- 6. Page 2-211 Delete pages 2-211 through 2-215 and insert new pages 2-211 through 2-216.
- 7. Page 2-229: Insert "Mod Fl" in upper right hand corner.
- 8. Page 2-233: Delete page 2-233 and insert new page 2-233.
- 9. Page 2-249 / Delete pages 2-249 through 2-252 and through 2-252: insert new pages 2-249 through 2-252.
- 10. Page 2-293: Insert "Mod F1" in upper right hand corner.
- 11. Page 2-311 Delete pages 2-311 through 2-314 and insert new pages 2-311 through 2-314.
- 12. Page 2-347: Insert "Mod F2" in upper right hand corner.

In paragraph 2-159a delete all information for PRWLN and insert "PLLØN 2 geographic latitude of this launcher λ_L^{\dagger} degrees".

Instruction Sheet

Changed 15 July 1962

13.	Page 2-350:	In paragraph 2-159d, expression (7), delete " λ_R " and insert " λ_L "
14.	Page 2-359:	Insert "Mod F3" in upper right hand corner.
15.	Page 2-361 through 2-366:	Delete pages 2-361 through 2-366 and insert new pages 2-361 through 2-366.
16.	Page 2-371 through 2-374:	Delete pages 2-371 through 2-374 and insert new pages 2-371 through 2-374.
17.	Page 2-391:	Insert "Mod F3" in upper right hand corner.
18.	Page 2-395 through 2-409:	Delete pages 2-395 through 2-409 and insert new pages 2-395 through 2-405.
19.	Page 2-411:	Insert "Mod F3" in upper right hand corner.
20.	Page 2-412:	In paragraph 2-170b, insert "GLAZM(I) 2 Launch azimuth AL degrees".
21.	Page 2-417 through 2-419:	Delete page 2-417 through 2-419 and insert new pages 2-417, 2-418.
22.	Page 2-423:	Insert "Mod F2" in upper right hand corner.
23.	Page 2-427:	Insert "Mod F3" in upper right hand corner.
24.	Page 2-441:	Insert "Mod F2" in upper right hand corner.
25.	Page 2-449:	Insert "Mod F2" in upper right hand corner.
26.	Page 2-629:	Insert "Mod F1" in upper right hand corner.
27.	Page 2-639 through 2-645:	Delete pages 2-639 through 2-645 and insert new pages 2-639 through 2-646.
28.	Page 2-651: /	Insert "Mod F2" in upper right hand corner.
29.	Page 2-653 through 2-657	Delete pages 2-653 through 2-657 and insert new pages 2-653 through 2-657.
2	WWW.C	HROMEHOOVES.NET

Instruction Sheet

Changed 15 July 1962

30.	Page 2-669:	Change the date in lower left hand corner from "31 May 1962" to "15 July 1962".
31.	Page 2-674,2-675:	Delete pages 2-674, 2-675 and insert new pages 2-674, 2-675.
32.	Page 2-689 through 2-691:	Delete pages 2-689 through 2-691 and insert new pages 2-689 through 2-691.
33.	Page 2-739:	Insert "Mod Fl" in upper right hand corner.
34.	Page 2-740:	In paragraph 2-244C (1), change first sentence to read as follows: "If SW(58) is ØN, the unity autopilot is set for open loop simulation."
35.	Page 2-811,2-812:	Delete pages 2-811, 2-812 and insert new pages 2-811, 2-812.
36.	Page 2-901, 2-902:	Delete pages 2-901, 2-902 and insert new pages 2-901, 2-902.
37.	Page 2-911 through 2-915:	Delete pages 2-911 through 2-915 and insert new pages 2-911 through 2-915.
38.	Page 2-941:	Insert "Mod F4" in upper right hand corner.
39.	Page 2-943:	Insert "Mod F2" in upper right hand corner.
40.	Insert this instruct	tion sheet between cover and new title

Manuscript Edition

TITAN I - Integrated Targeting and Simulation Program Document Volume 3. Maintenance Part 1 - 15 March 1962

Instruction Sheet

Changed 31 May 1962

In addition to inserting revised pages and destroying superseded pages, make pen and ink changes as indicated below and write "Changed 31 May 1962" at bottom of page flush with the outside margin on each affected page. A Mod number is added to the first page of the subprogram only when the subprogram reflects a listing subsequent to January 1962.

1. Title Page: /

Delete title page and insert new title page.

2. Page A, B, C, D, vii through ix:

Delete pages A, B, C, D, v11 through ix and insert new pages A, B, C, D, v11 through ix.

3. Page 1-1 through 1-5:

Delete pages 1-1 through 1-5 and insert new pages 1-1 through 1-5.

4. Page 2-7,2-8:

Delete pages 2-7, 2-8, and insert new pages 2-7, 2-7A through 2-7N/2-8.

5. Page 2-57:

Insert "Mod Fl" in upper right hand corner.

6. Page 2-59,2-60 /

Delete pages 2-59, 2-60 and insert new pages 2-59, 2-60.

7. Page 2-79 through 2-81:

Delete pages 2-79 through 2-81 and insert new pages 2-79 through 2-81.

- 8. Page 2-85 W
- Insert "Mod Fl" in upper right hand corner.
- In paragraph 2-80C (1), third line, change "|X|>1.000000044" to "|X|>1.000000939".
- / In second line of the table, under TEST, change "1.0 < $|x| \le 1 + 4.4 \times 10^{-8}$ " to "1.0 < $|x| \le 1 + 9.39 \times 10^{-9}$ "
- 9. Page 2-91:/

Insert "Mod Fl" in upper right hand
corner.

Instruction Sheet

10.	Page 2-94:	In paragraph 2-83C (12), insert as first sentence "Tape Al is rewound."
11.	Page 2-111:	Delete page 2-111 and insert new page 2-111.
12.	Page 2-133 through 2-135:	Delete pages 2-133 through 2-135 and insert new pages 2-133 through 2-135.
13.	Page 2-155 through 2-157:	Delete pages 2-155 through 2-157 and insert new pages 2-155 through 2-157.
14.	Page 2-181:	In paragraph 2-117b, under SWITCH, change "SW(117)" to "SW(115)".
15.	Page 2-185:	Insert "Mod Fl" in upper right hand corner.
16.	Page 2-187 through 2-202:	Delate pages 2-187 through 2-202 and insert new pages 2-187 through 2-202.
17.	Page 2-229 through 2-234:	Delete pages 2-229 through 2-234 and insert new pages 2-229 through 2-234.
18.	Page 2-249 through 2-254:	Delete pages 2-249 through 2-254 and insert new pages 2-249 through 2-252.
19.	Page 2-283:	Insert "Mod Fl" in upper right hand corner.
20.	Page 2-287 through 2-292:	Delete pages 2-287 through 2-292 and insert new pages 2-287 through 2-290.
21.	Page 2-293 through 2-296:	Delete pages 2-293 through 2-296 and insert new pages 2-293 through 2-296.
22.	Page 2-311 through 2-314:	Delete pages 2-311 through 2-314 and insert new pages 2-311 through 2-314.
23.	Page 2-319:	In paragraph 2-151C (1), second line, delete "SW(9)" and insert "SW(172)".
24.	Page 2-341, 2-342:	Change figure number from "2-1" to "2-1G".

Instruction Sheet

	25.	Page 2-347 through 2-350:	Delete pages 2-347 through 2-350 and insert new pages 2-347 through 2-350.
	26.	Page 2-3592	Insert "Mod Fl" in upper right hand corner
	27.	Page 2-362 through 2-376:	Delete pages 2-362 through 2-376 and Insert new pages 2-362 through 2-374.
	28 .	Page 2-3771	Insert "Mod Fl" in upper right hand corner.
	29.	Page 2-380 / 2-381:	Delete pages 2-380, 2-381, and insert new pages 2-380, 2-381.
> 10	30.	Page 2-391:	Insert "Mod F2" in upper right hand corner.
	31.	Page 2-395 through 2-409:	Delete pages 2-395 through 2-409 and insert new pages 2-395 through 2-409.
1	3 2.	Page 2-411:	Insert "Mod F1" in upper right hand corner.
YY Y	.33.	Page 2-414:	In paragraph 2-170C, first line, change "FD D42" to FD P42".
	34.	Page 2-423 through 2-426:	Delete pages 2-423 through 2-426 and insert new pages 2-423 through 2-426.
	35.	Page 2-427 through 2-429:	Delete pages 2-427 through 2-429 and insert new pages 2-427 through 2-429.
	3 6.	Page 2-441:	Insert "Mod Fl" in upper right hand corner.
	37 .	Page 2-443 through 2-445:	Delete pages 2-443 through 2-445 and insert new pages 2-443 through 2-445.
	38.	Page 2-449:	Insert "Mod F2" in upper right hand corner.
	3 9.	Pages 2-453 through 2-455	Delete pages 2-453 through 2-455 and insert new pages 2-453 through 2-455.
	40.	Page 2-461:/	Insert "Mod F2" in upper right hand corner.

Instruction Sheet

- Delete pages 2-465 through 2-468 and insert new pages 2-465 through 2-468.

 Page 2-473

 Delete pages 2-465 through 2-468.
- 42. Page 2-473 Delete pages 2-473 through 2-476 and insert new pages 2-473 through 2-476, 2-476A, 2-476B.
- 43. Page 2-487: In paragraph 2-192C (2), change first word of fourth line from "write" to "read".
- In paragraph 2-192C (15), change beginning of second line from "step 134" to "step 16".
- In paragraph 2-192C (28), change beginning of seventh line from "transferred to step 70" to "transferred to step 68".
- 46. Page 2-496:

 In paragraph 2-192C (51), change beginning of second line from step 98" to "step 99".
 - Page 2-515: Insert "Mod Fl" in upper right hand corner.
 - In paragraph 2-198a, between SW(14) and XDEW(109), insert "SW(82) Test for printing option".
- 48. Page 2-520

 through 2-522

 Delete pages 2-520 through 2-522

 and insert new pages 2-520 through 2-522.
- 49. Page 2-642: In paragraph 2-230C (6), in first line, change "SW(74)" to "SW(72)".
- 50. Page 2-643 Delete pages 2-643, 2-644, and 1nsert new pages 2-643, 2-644.
- Delete pages 2-651 through 2-657 and insert new pages 2-651 through 2-657.
- Delete pages 2-663 through 2-680 and insert new pages 2-663 through 2-680 through 2-675.

Instruction Sheet

_			
5		Page 2-681 through 2-691:	Delete pages 2-681 through 2-691 and insert new pages 2-681 through 2-691.
5	54.	Page 2-695:	Insert "Mod F2" in upper right hand corner.
5	55.	Page 2-710:	In paragraph 2-2420 (17), change "Steps 103-105" to "Steps 103-106".
			In eighth line, change "re-entry stage" to "booster stage".
			In paragraph 2-2420 (18), change "Steps 106-115" to "Steps 107-115".
5	66.	Page 2-719:	Insert "Mod Fl" in upper right hand corner.
5	7.	Page 2-729:	In paragraph 2-243f (1), the last sentence should read as follows: "Otherwise GGDSIM performs setup phase computations of guidance simulator." The remainder of the para-
		/.CHRO	graph is deleted.
5	58.	Page 2-735:	Delete page 2-735 and insert new page 2-735.
5	59.	Page 2-775:	Insert "Mod Pl" in upper right hand corner.
6	50.	Page 2-797:	Delete page 2-797 and insert new pages 2-797, 2-798
(61.	Page 2-837:	Insert "Mod Pl" in upper right hand corner.
6	52.	Page 2-839:	In paragraph 2-259c (1), in table under ACTION for P = 40, change "The program stops" to "Exit to ILLCMD to print error statement".
	63.	Page 2-846:	In paragraph 2-259c (18), in first line, change "altitude" to "attitude".
(64.	Page 2-861 through 2-864:	Delete pages 2-861 through 2-864 and insert new pages 2-861 through 2-864.

Instruction Sheet

Changed 31 Nay 1962

ROMEHOOVES.NET

65.	Page 2-889:	In paragraph 2-270a, in second line change "XGI(1-16)" to "XGI(1-32)".
66.	Page 2-921:	In paragraph 2-278c (3), in second line delete the following: "ARROR checks the status of indicators and".
67.	Page 2-933 through 2-936:	Delete pages 2-933 through 2-936 and insert new pages 2-933 through 2-936.
68.	Page 2-937:	Insert "Mod Fl"in upper right hand corner.
69.	Page 2-941:	Insert "Mod Fl" in upper right hand corner.
70.	Page 2-943:	Insert "Mod Fl" in upper right hand corner.
71.	Insert this instruc	tion sheet between cover and new